


Ruwac

INDUSTRIAL
VACUUMS



FEATURING

THE RED LINE

THE ORIGINAL PORTABLE
VACUUM SERIES FOR FINE DUST



AND
SumpPro 

THE COMPLETE SUMP/SLURRY
INDUSTRIAL VACUUM SERIES



THE RED LINE

THE ORIGINAL PORTABLE VACUUM SERIES FOR FINE DUST

SUPERIOR FILTRATION,
UNPARALLELED PERFORMANCE



**BABY RED
WNS1000**

The smallest of our portable series, this is the industry's top alternative to the underperforming "shop vac".



**LITTLE RED
WNS2220**

Small in size, this packs a powerful punch! With superior filtration, this is our most requested vacuum for fine, dry collection.



**QUIET RED
WS2220**

Including all the same great features as Little Red, this vac is equipped with our sound suppressed motor deck for quiet operation.



**RED RAIDER
WS2220-110**

Some jobs just need more. This vac has increased power and filtration capacities, perfect for larger hoses and multiple users.



**RED RAIDER
WS2320-220**

All of our portable machines are available with HEPA filtration or pre-separation systems for increased collection capacity.



**BIG RED
WS3420**

Featuring our largest primary filter and the capability to handle hose lengths up to 200 feet, there's little this impressive vac cannot do.

S P

(1) 1200 WATT
MOTOR, 1.6 HP

110 VOLTS

112 CFM

107 H₂O"

78 DBA

13 SQ. FT. PRIMARY FILTER

9 GALLON
COLLECTION CAPACITY

2.0" (50MM) INLET
W/ ALUMINUM DEFLECTOR

COMPRESSION CAST
COMPOSITE HOUSING

85 LBS. (APPROX.)

32" X 20" X 35"

MAXIMUM PERFORMANCE

1 OPERATOR:
(1) HOSE, 2" DIAMETER x 15'

2 OPERATORS:
(2) HOSES, 1.25" DIAMETER x 15'

E C I

(2) 1200 WATT
MOTORS, 3.2 HP

110 VOLTS

200 CFM

97 H₂O"

78 DBA

13 SQ. FT. PRIMARY FILTER

9 GALLON
COLLECTION CAPACITY

2.0" (50MM) INLET
W/ ALUMINUM DEFLECTOR

COMPRESSION CAST
COMPOSITE HOUSING

90 LBS. (APPROX.)

32" X 20" X 35"

MAXIMUM PERFORMANCE

1 OPERATOR:
(1) HOSE, 2" DIAMETER x 25'

2 OPERATORS:
(2) HOSES, 1.5" DIAMETER x 25'

F I

(2) 1000 WATT
MOTORS, 3.2 HP

110 VOLTS

200 CFM

97 H₂O"

68 DBA

13 SQ. FT. PRIMARY FILTER

9 GALLON
COLLECTION CAPACITY

2.0" (50MM) INLET
W/ ALUMINUM DEFLECTOR

COMPRESSION CAST
COMPOSITE HOUSING

115 LBS. (APPROX.)

32" X 20" X 37"

MAXIMUM PERFORMANCE

1 OPERATOR:
(1) HOSE, 2" DIAMETER x 25'

2 OPERATORS:
(2) HOSES, 1.5" DIAMETER x 25'

C A T

(3) 800 WATT
MOTORS, 4 HP

110 VOLTS

288 CFM

75 H₂O"

70 DBA

28 SQ. FT. PRIMARY FILTER

9 GALLON
COLLECTION CAPACITY

2.75" (70MM) INLET
W/ ALUMINUM DEFLECTOR

COMPRESSION CAST
COMPOSITE HOUSING

169 LBS. (APPROX.)

32" X 20" X 51"

MAXIMUM PERFORMANCE

1 OPERATOR:
(1) HOSE, 3" DIAMETER x 25'

2 OPERATORS:
(2) HOSES, 2" DIAMETER x 25'

I O

(3) 1200 WATT
MOTORS, 4 HP

220 VOLTS

340 CFM

100 H₂O"

70 DBA

28 SQ. FT. PRIMARY FILTER

9 GALLON
COLLECTION CAPACITY

2.75" (70MM) INLET
W/ ALUMINUM DEFLECTOR

COMPRESSION CAST
COMPOSITE HOUSING

169 LBS. (APPROX.)

32" X 20" X 51"

MAXIMUM PERFORMANCE

1 OPERATOR:
(1) HOSE, 3" DIAMETER x 50'

2 OPERATORS:
(2) HOSES, 2" DIAMETER x 50'

N S

(4) 1200 WATT
MOTORS, 7 HP

230 VOLTS

460 CFM

100 H₂O"

82 DBA

48 SQ. FT. PRIMARY FILTER

24 GALLON
COLLECTION CAPACITY

4.0" (100MM) INLET
W/ ALUMINUM DEFLECTOR

COMPRESSION CAST
COMPOSITE HOUSING

375 LBS. (APPROX.)


38" X 32" X 69"

MAXIMUM PERFORMANCE

1 OPERATOR:
(1) HOSE, 4" DIAMETER x 100'


2 OPERATORS:
(2) HOSES, 2" DIAMETER x 50'

FEATURES AND BENEFITS OF RUWAC INDUSTRIAL VACUUMS



EASY-TO-EMPTY DUSTPAN

• DROP DOWN DUSTPAN HAS A FOOT ACTUATED LEVER, SO YOU NEVER NEED TO REMOVE THE MOTOR DECK FOR CLEAN, DUST-FREE EMPTYING.



SUPERIOR FILTRATION

• MICROCLEAN FILTERS ARE 99.9% EFFICIENT AT CAPTURING PARTICLES DOWN TO 0.5 MICRONS, SO MORE DUST IS COLLECTED AND NONE IS RETURNED.



HEPA - ABSOLUTE FILTRATION

• MODULAR HOUSING ALLOWS FOR UPGRADES TO HEPA FILTRATION AT ANY TIME, TO COLLECT AND CONTAIN DEBRIS DOWN TO AND INCLUDING .3 MICRONS.

Sump Pro[®] SERIES

WET, SUMP, & SLURRY VACUUMS FOR INDUSTRY

VACUUM AND PUMP AT THE SAME TIME



WET SEP 30

Use a dry vac to pick up liquids. Adaptable to existing portable vacuums, this wet sep is ideal for occasional liquid collection.

S P

ADAPTABLE TO EXISTING VACUUM SYSTEMS

MOUNTED HANDLES FOR WASTE REMOVAL

STEEL DRUM & LID

2.0" (50MM) INLET

2.0" (50MM) OUTLET

30 GAL. LIQUID CAPACITY

POSITIVE CLOSURE FLOAT TO PREVENT OVERFLOW

LIQUID DRAIN AVAILABLE

DRUM CADDY WITH HEAVY DUTY CASTERS

60 LBS. (APPROX.)

23" X 21" X 48"

MAXIMUM PERFORMANCE

REQUIRED VACUUM POWER:
150 CFM (2"/1.5" INLET/OUTLET)
300 CFM (3" INLET/OUTLET)

INLET OPTIONS:

3" INLET/OUTLET
(AVAILABLE UPON REQUEST)



WSP15

Featuring a rear ball valve, a bottom discharge plate and tapered housing, collecting and emptying liquid has never been so easy.

E C I

ADAPTABLE TO EXISTING VACUUM SYSTEMS

LARGE, PNEUMATIC REAR WHEELS

TAPERED BOTTOM HOUSING

2.0" (50MM) INLET

2.0" (50MM) OUTLET

15 GAL. LIQUID CAPACITY

1.5" LIQUID DISCHARGE VALVE

8" SOLID DISCHARGE GATE

38 GALLONS/MIN. RETURN PUMP OPTIONAL

85 LBS. (APPROX.)

33" X 28" X 37"

MAXIMUM PERFORMANCE

REQUIRED VACUUM POWER:
150 CFM MINIMUM

INLET OPTIONS:

1.5" INLET/OUTLET
2" INLET/OUTLET



WSP2000

Engineered for industrial use, this wet vacuum will outlast any shop vac and collect and pump liquid material simultaneously.

F I

(1) 1200 WATT MOTOR, 1.6 HP

110 VOLTS

112 CFM

107 H₂O"

2.0" (50MM) INLET

15 GALLON LIQUID CAPACITY

1.5" LIQUID DISCHARGE VALVE

8" SOLID DISCHARGE GATE

38 GALLONS/MIN. RETURN PUMP OPTIONAL

90 LBS. (APPROX.)

33" X 28" X 37"

MAXIMUM PERFORMANCE

INTAKE HOSE OPTIONS:

(1) HOSE, 1.5" DIAMETER x 25'
(1) HOSE, 2" DIAMETER x 10'

RETURN PUMP:

(1) HOSE, 1.5" DIAMETER x 50'



WSP4000

Increase collection and retain functionality with heavy duty pneumatic wheels, swivel front casters, and a larger capacity.

C A T

(1) 1200 WATT MOTORS, 1.6 HP

110 VOLTS

112 CFM

107 H₂O"

2.0" (50MM) INLET

35 GALLON LIQUID CAPACITY

1.5" LIQUID DISCHARGE VALVE

8" SOLID DISCHARGE GATE

38 GALLONS/MIN. RETURN PUMP OPTIONAL

115 LBS. (APPROX.)

33" X 28" X 45"

MAXIMUM PERFORMANCE

INTAKE HOSE OPTIONS:

(1) HOSE, 1.5" DIAMETER x 25'
(1) HOSE, 2" DIAMETER x 10'

RETURN PUMP:

(1) HOSE, 1.5" DIAMETER x 50'



SPS 35

Collect, separate, and return material at the same time. A top access door and rear discharge hose allow easy removal of collected material.

I O

(1) 1200 WATT MOTORS, 1.6 HP

110 VOLTS

112 CFM

107 H₂O"

2.0" (50MM) INLET

9 GALLON LIQUID CAPACITY

4 GALLON CHIP CAPACITY

2.0" LIQUID DISCHARGE HOSE

38 GALLONS/MIN. RETURN PUMP OPTIONAL

110 LBS. (APPROX.)

32" X 20" X 50"

MAXIMUM PERFORMANCE

INTAKE HOSE OPTIONS:

(1) HOSE, 1.5" DIAMETER x 25'
(1) HOSE, 2" DIAMETER x 10'

RETURN PUMP:

(1) HOSE, 1.5" DIAMETER x 50'



SPS 250

Take sump cleaning to a whole new level. Collect, separate, and pump more, with an integrated return pump and 40 gallon capacity.

N S

(2) 1000 WATT MOTORS, 3.2 HP

110 VOLTS

200 CFM

97 H₂O"

2.0" (50MM) INLET

40 GALLON LIQUID CAPACITY

9 GALLON CHIP CAPACITY

1.5" LIQUID DISCHARGE HOSE

38 GALLONS/MIN. RETURN PUMP STANDARD

288 LBS. (APPROX.)

42" X 25" X 47"

MAXIMUM PERFORMANCE

INTAKE HOSE OPTIONS:

(1) HOSE, 2" DIAMETER x 25'

RETURN PUMP:

(1) HOSE, 1.5" DIAMETER x 50'

ALL THE RIGHT TOOLS FOR YOUR JOB.



ACCESSORIES AND TOOLS

• A VARIETY OF HOSES, WANDS, FLOOR TOOLS AND UTILITIES ARE AVAILABLE TO FULLY ACCOMMODATE YOUR APPLICATION REQUIREMENTS.



PRE-SEPARATION SYSTEMS

• AVAILABLE FOR WET OR DRY UNITS, PRE-SEPARATION SYSTEMS CAN COLLECT UP TO 97% OF MATERIAL, EXTENDING FILTER LIFE AND REDUCING MAINTENANCE.



TIPPING DRUM OPTION

• ALL PRE-SEPARATION SYSTEM DRUMS CAN BE EQUIPPED WITH A TIPPING MECHANISM WITH FORKLIFT POCKETS, FOR QUICK AND EASY EMPTYING.

CHECK OUT OUR OTHER VACUUM SERIES TO FIND THE RIGHT FIT FOR YOUR APPLICATION.

WORKHORSE

135 - 300 CFM CAPACITY



DS1000



DS1150



DS1220



DS1450



DS1750

**EXPLOSION
PROOF
MODELS
AVAILABLE**

Continuous duty vacuums for industrial use, these vacuums are equipped with single and three phase TEFC motors and multi-stage centrifugal turbines, and static dissipating carbon impregnated housing.

POWERHOUSE

300 - 850+ CFM CAPACITY



DS2420



DS2520



DS2720



DS4110



DS4120



DS4130

Specifically designed with more power, filtration, and capacities, these durable, three phase vacuums are ideal for multiple users, longer hoses, and tough applications... and are still completely portable.

ALTERNATE POWER

WHEN ELECTRICITY ISN'T AN OPTION



AV1000



AV2000



BA2002



GV5



GV10



GV15

No power, no problem for these rugged vacuums. Featuring compressed air, battery or gasoline powered motors, this series can be used for a variety of remote applications without electricity.

PRE-SEP

INCREASE COLLECTION CAPACITY, INCREASE PERFORMANCE



DRY SEP 30



WET SEP 30



BULK SEP



HEC 8



HEC 12



HEC 14

Increase collection capacities and save your filters with our pre-separation systems. Adaptable to any portable vacuum for dry material, these systems increase productivity for a number of applications.



Latta Equipment Company, Inc. Tel: (704) 752-7944
330 East Hebron St. Suite J Fax: (704) 414-6811
Charlotte, NC 28273 www.WorkDustFree.com

